

710 Forest Avenue | P.O. Box 102 Sheboygan Falls, WI 53085 | USA Toll-Free 1-800-558-7596 (920) 467-2471 | (920) 467-8674 Fax service@torginol.com | www.torginol.com

Product Data Sheet



ColorFlakes™

Decorative Vinyl Color Chips/Flakes

For use in Seamless, Resin-based FlooringSystems

For more information, please visit our website at: www.torginol.com

DESCRIPTION

Product Name:

Decorative Vinvl Color Chips/Flakes Trade Name: ColorFlakes™

Manufacturer:

Torginol, Inc. P.O. Box 102 710 Forest Avenue Sheboygan Falls, WI 53085 USA (800) 558-7596 toll-free (920) 467-2471 telephone (920) 467-8674 facsimile www.torginol.com service@torginol.com

Torginol ColorFlakes™, also known as color chips, flake or fleck are composed of waterbased resin materials, inorganic minerals, additives and various pigments. This unique product is integrally pigmented, brilliantly colored, random in shape, sized within a standardized range and custom blended with infinite options to achieve optimal appearance and texture qualities with a resin-based flooring or wall-coating system.

<u>ColorFlakes™</u> <u>Advantages:</u>

- Custom design to match any décor
- Over 150 color-styles "in-stock"
- Non-flammable
- Water-based chemistry
- Optimal flexibility & strength
- Colorfast, UV stable pigments
- Forgiving application
- Fast turnaround times
- Custom color-matching available
- Six standard sizing options
- Infinite custom-blending options
- Custom blend-matching expertise
- Lab tested resin compatibility
- Suitable in many environments
- Custom packaging & label options
- No minimum order quantities
- Diligent quality control program
- Hide sub-surface imperfections

CHARACTERISTICS

Color:

Spectrophotometer ASTM E1866 ΔE ≤ 1.0

Dry Film Thickness:

Micrometer ASTM D1005

4 - 5 mils Mils Dry

Shape:

Visual Evaluation

Random **Pass**

Odor:

Olfactory Evaluation ASTM D1296 Odorless

Surface Texture:

Visual Evaluation

Smooth **Pass**

Metamerism:

Visual Evaluation ASTM D4086 Nonmetameric Pass

Sheen:

60°Gloss Meter ASTM D523 <15 units Pass

Dry Film Flexibility:

Mandrel Bend Test ASTM F137* Interior Angle ≤ 110° Pass


Hiding Power:

Visual Evaluation ASTM D6762 Opacity > 98% Pass

(except color C2250)

Size Distribution:

Normal Sieve Analysis (100g / 90sec)



*ASTM procedure modified to accommodate the unique characteristics of ColorFlakes™ material

SIZING & BLENDING

Sizing Options:



Original (~1")



1/2"



1/4"



1/8"



1/16"



1/32"

Custom Blending:

Use ColorFlakes™ to coordinate your floors and walls with any décor. Our extensive line of ColorFlakes gives you the ability to custom design blends to match any color-scheme. Either choose from one of our signature blend designs or creatively mix and match colors to develop a unique color array that best fits your project. Call

1-800-558-7596 for more information and to request samples...



ColorFlakes™

Decorative Vinyl Color Chips/Flakes



COLOR INDEX

COLOR INDEX			
(Sorted by Item Number)			
Standard Colors	, , ,		
C1000 (Adobe Beige)	C7551 (Terra Cotta)		
C1020 (Amethyst)	C9800 (Sommelier)		
C1040 (Autumn Brown)	C9801 (Dolphin)		
C1045 (Beige)	C9805 (Carrot Cake)		
C1050 (Black)	C9806 (Flesh)		
C1055 (Brick Red)	C9902 (Black Iron Oxide		
C1060 (Brown)	C9903 (Online)		
C1070 (Burgundy)	C9904 (Dark Grey)		
C1080 (Canyon Red)	C9905 (Heaven)		
C1090 (Charcoal)	C9907 (Blue Ox)		
C1100 (Cocoa Brown)	C9908 (Canary Yellow)		
C1120 (Crest Green)	C9909 (Sugar Cookie)		
C1130 (Dark Blue)	C9910 (Buttermilk)		
C1140 (Delray Blue)	C9911 (Fossil)		
C1160 (Dove Gray)	C9912 (Toast)		
C1200 (Dusk Blue)	C9916 (Favre)		
C1320 (Fawn)	C9920 (Cherry Bomb)		
C1360 (Forest Green)	C9951 (Plum)		
C1400 (Gold)	C9952 (Aquamarine)		
C1410 (Granite)	C9953 (Honeydew)		
C1415 (Graphite)	C9954 (Caramel)		
C1420 (Hunter Green)	C9955 (Battleship Gray)		
C1425 (Ivory)	C9956 (Khaki)		
C1430 (Jasper)	C9957 (Taupe)		
C1480 (Medium Gray)	C9958 (Alpaca White)		
C1520 (Milkweed)	C9959 (Antique White)		
C1560 (Mint Green)	C9960 (Navajo Beige)		
C1570 (Mustard)	C9961 (Functional Gray)		
C1600 (Olive)	C9962 (Jetstream)		
C1640 (Patio Red)	C9963 (Cobalt Blue)		
C1680 (Peach)	C9964 (Sky Blue)		
C1720 (Powder Blue)	C9965 (Lavender)		
C1760 (Rose)	C9966 (Morning Fog)		
C1770 (Salmon)	C9967 (Royal Blue)		
C1780 (Scone)	C9968 (Steel Blue)		
C1785 (Tan)	C9969 (Navy)		
C1790 (True Blue)	C9970 (Moss)		
C1800 (Whisper Gray)	C9971 (Peppermint)		
C1820 (White)	C9972 (Moody Blue)		
C2160 (Orange)	C9973 (Coppertone)		
C2200 (Primary Yellow)	C9974 (Brilliant Blue) C9975 (Raisin)		
C2240 (Red)	C9977 (Daiquiri)		
C2250 (Semi-Transparent White) C5051 (Afterglow)	C9978 (Tomato)		
C5051 (Arterglow) C5052 (Chocolate)	C9979 (Squash)		
C5101 (Seaspray)	C9981 (Potter)		
C5101 (Seasplay) C5102 (Lime)	C9982 (Gravy)		
C5103 (Sorbet)	C9983 (Hypnotic)		
C5104 (African Violet)	C9984 (Sonic)		
C5114 (Ebony)	C9985 (Susie-Q)		
C5115 (Putty)	C9986 (Eggshell)		
C5116 (Wigwam)	C9987 (Stone)		
C5117 (Acorn)	C9988 (Baby Blue)		
C5118 (Fireweed)	C9989 (Purple Haze)		
C5252 (Cement)	C9990 (Slime)		
C5301 (Cornmeal)	C9991 (Gardenview)		
C5302 (Cardboard)	C9992 (Cosmo)		
C5303 (Cappuccino)	C9993 (Grape)		
C5304 (Mud)	C9994 (Sand Dune)		
C5305 (Tabu)	C9995 (Berry)		
C5306 (Porpoise)	C9996 (Redwood)		
CE207 (Compliands)	• • • • • • • • • • • • • • • • • • • •		

Varicolors

C5307 (Camelback)

C5910 (JD Green)

C5920 (Cyberspace)

C6604 (Primary Blue)

C6606 (Neutral Gray)

C6609 (Burnt Red)

C6611 (Evergreen)

C6612 (Creamy Orange)

C6615 (Pumpkin) C6616 (Lemon Yellow)

C6621 (Stormy Blue)

C6721 (Lipstick Red)

C6723 (Camo Green)

C6804 (Gladiola)

C6622 (Sunrise Yellow)

C5935 (Rustic Red)

C6601 (Buff)

C6602 (Latte)

C6607 (Clav)

C6613 (Sage)

C6617 (Teal)

C6614 (Cream)

C3000 (V.C. Brown) C3020 (V.C. Ewa Green) C3040 (V.C. Kona Beige) C3080 (V.C. Lanai Grav) C3100 (V.C. Maui Blue) C3120 (V.C. Pali Brown) C3160 (V.C. Rose)

Phosphorescent

C9110 - Blue Glow C9120 - Green Glow

Fluorescent Black Light Sensitive

C4000 (Blaze Orange) C4040 (Chartreuse) C4080 (Hot Pink) C4120 (Rocket Red) C4160 (SIgnal Green) C4180 (Horizon Blue)

APPLICATION

Floor Application Coverage Rates

Flake Size	<u>Full</u>	<u>Partial</u>	
Original (~1")	8-10	25-200	ft²/lb.
1/2"	7-9	25-200	ft²/lb.
1/4"	5-7	25-200	ft²/lb.
1/8"	4-6	25-200	ft²/lb.
1/16"	3-5	25-200	ft²/lb.
1/32"	2-4	25-200	ft²/lb.

*Coverage rates vary depending on customer preferences and application techniques. Torginol does not guarantee exact coverage rates

Floor Application Methods

Hand Broadcasting:




Pneumatic Hopper-Blower Gun:



TYPICAL SYSTEM

(approximate dry film thickness: 15 - 30 mils)



For best results, 10-15 mils of clear top-coating is recommended to fully encapsulate ColorFlakes™ and provide a durable wearing surface.

SYSTEM COMPATIBILITY

Lab tested resin chemical compatibility:

- Epoxy
- MMA
- Polyurethane
- Polyaspartic
- Polyurea
- · And others...
- Various Polymers

Note:

In 40+ years of manufacturing ColorFlakes™, there are no known resin incompatibilities. However, Torginol recommends unknown resin compatibility testing prior to use.

PRODUCT LIMITATIONS

- ColorFlakes[™] are random in shape due to our manufacturing process.
- Although the colorfast pigments in the ColorFlakes™ are UV stable, the specifications for the UV stability and environmental durability of your coating system will determine outdoor suitability.
- Due to inherent product characteristics, a small amount of finer particles will be present within each box.
- Do <u>NOT</u> apply *ColorFlakes™* in rain.

STORAGE

Store ColorFlakes™ in an air tight poly-bag in a dry environment at room temp. to avoid moisture, humidity and product degradation.

RECOMMENDED USES












Banquet Halls Bars, Pubs & Taverns Basements Bathrooms Bowling Alleys Butcher Shops Cafeterias Churches Clean Rooms Commercial Kitchens Dog Kennels Garage Floors Greenhouses Grocery Stores Hallwavs Hospitals Industrial Hallways Laboratories Laundromats Locker Rooms Lunch Rooms Night Clubs Pet Stores Pharmaceutical Plants Public Municipalities Restaurants Restrooms Retail Stores Schools Show Rooms Stadium Hallways And more...

Aircraft Hangers

Con-Spec Industries Ltd.

9525 - 63 Avenue Edmonton, Alberta T6E 0G2 Bus: (780) 437-6136 Fax: (780) 437-5242



Colours may not be exact due to limitations in the printing process. For precise colour fidelity, finished sample boards should be used.